MPN: PROHDMIHD10

Pro HDMI Cable 10m



High Performance and High Speed HDMI 2.0 18Gbit Cable with Ethernet.

Supports Resolutions up to 4K@60Hz with HDCP 2.2, CEC and ARC

Ultra flexible.

Note: This cable is with HDMI lock. This is to ensures a stable and secure connection between AV equipment (e.g. AV splitters, switches or other AV distribution equipment) in fixed installations. Please add the PROHDMIHDMFM2 cable when using this cable connection with a laptop or other portable devices. This cable protects the interface in your portable device so it will not get damaged when plugging in and out several times

- All HDMI resolutions up to 4K (4096x2160p @60Hz), including 3D video
- Support sample rate 4:4:4
- High Dynamic Range (HDR)
- Transfer speed 18 Gbit/s
- HDCP 2.2
- Supports Deep Color, up to 16-bits per channel, including x.v.Color standard
- Supports the 21:9 cinema aspect ratio
- Supports SA-CD, DVD-Audio, DTS-HD Master Audio, Dolby TrueHD, and other highde inition audio standards
- Audio Return Channel
- Auto Lip Sync
- Supports up to 32 audio channels and a 1536 kHz audio sampling rate
- Dynamic sound synchronization
- Supports extended CEC (Consumer Electronics Control) commands and functions
- the HDMI Ethernet Channel, and the Audio Return Channel features
- Fully assembled with 19 pins connected
- High quality HDMI A connector, 15um gold min. in contact area for high reliability
- and professional use
- 99,9% pure copper wires for lossless picture transmission
- Triple shielded cable and extra shielding in the connector
- High Flexibility ensuring small bending radius

Caractéristiques

Features	**Canal de retour audio (ARC, Audio Return Channel)**	Oui
	Canal Ethernet HDMI	Oui
	Compatibilité 3D	Oui
	Conformité RoHS	Oui
	Connecteur 1	HDMI
	Connecteur 2	HDMI

Features	**Contacts du connecteur de placage**	Cuivre
	Couleur du produit	Noir
	Facteur de forme du connecteur 1	Droit
	Facteur de forme du connecteur 2	Droit
	Force d'arrachage	2 kg
	Genre de connecteur 1	Mâle
	Genre de connecteur 2	Mâle
	HDCP	Oui
	Longueur de câble	10 m
	Matériau de la prise du câble	Polyvinyl chloride (PVC)
	Matière du câble	Cuivre
	Modes vidéo pris en charge	2160p
	Plage dynamique élevée 10 (HDR10)	Oui
	Plug and Play	Oui
	Prise en charge HDR	Oui
	Profondeur de couleurs	16 bit
	Quantité	1 kusů
	Résolution maximale	4096 x 2160 Pixels
	Résolutions graphiques prises en charge	1920 x 1080 (HD 1080)
	Taille des fils AWG	24
	Taux de d'actualisation maximal	60 Hz
	Taux de transfert des données	18 Gbit/s
	Technologie HDR (plage dynamique élevée)	High Dynamic Range 10 (HDR10)
	Technologies Dolby	DTS-HD Master Audio
	Version HDCP	2.2
	Version HDMI	2.0
Operational conditions	**Température d'opération**	-20 - 60 °C
Package dimensions (verified)	**Depth Verified**	18,9 cm
	Gross Weight Verified	0,98 kg
	Height Verified	9,1 cm
	Width Verified	22,7 cm
Product dimensions	**Net Weight (Product, kg)**	0,88 kg
Vendor information	**Brand Name**	Vivolink
	Warranty	99 Année (s)
Weight & dimensions	**Diamètre du câble**	7,3 mm

Autres produits de cette série





Longueur de câble	Blanc	Noir
0,25		PROHDMIHD0.25
0,5	PROHDMIHD0.5W	PROHDMIHD0.5
1,0	PROHDMIHD1W	PROHDMIHD1
1,5	PROHDMIHD1.5W	PROHDMIHD1.5
2,0	PROHDMIHD2W	PROHDMIHD2
3,0	PROHDMIHD3W	PROHDMIHD3
5,0	PROHDMIHD5W	PROHDMIHD5
7,5	PROHDMIHD7.5W	PROHDMIHD7.5
10,0	PROHDMIHD10W	PROHDMIHD10-IDG
12,5		PROHDMIHD12.5
15,0	PROHDMIHD15W	PROHDMIHD15-18G
20,0	PROHDMIHD20W	PROHDMIHD20-18G

Accessoires recommandés



Vivolink Pro HDMI to DP Adapter Ring
MPN: PROADRING1



Vivolink Pro HDMI Adapter Ring, Mini DP
MPN: PROADRING



Vivolink Pro HDMI Adapter Ring
MPN: PROADRING2



Vivolink 2m, 4K, 60Hz, AV, HDCP, CEC,HDMI 2.0
MPN: PROHDMIHDMFM2